

Navy and Marine Corps Public Health Center  
Sexual Health and Responsibility Program (SHARP)  
**SHARP and SHARP-Adopted HP 2020 Goals** (updated 2/10/2011)



Sexual Health Objective (and HP2020 Objective Number)	HP2020 Target	U.S. Baseline and DoN Status	SHARP target	DoD/DoN Requirement
<b>Family Planning</b>				
FP-1: Increase the proportion of <b>pregnancies</b> that are intended	56%	U.S. Baseline, 2002 = 51% USN enlisted-2008 = <b>36%</b> USN officer-2008 = <b>70%</b> USMC data not available	56%	supports MANMED (page 15-69)
<b>HIV</b>				
HIV-2: Reduce the number of new (incident) cases of <b>HIV diagnosed</b> among active duty members	developmental	U.S.=developmental USN-2010 = 73 ( <b>30</b> /100K) USMC-2010 = 16 ( <b>12</b> /100K)	8 per 100K	DoDI 6485.1; SECNAVINST 5300.30
HIV 17-1: Increase the proportion of sexually active unmarried <b>females</b> aged 15 to 44 years who use condoms	38%	US Baseline, 2006-2008 = 34.5 % USN, 2008 = <b>35.29%</b> USMC 2008 = <b>25.8%</b>	38%	DoDI 1010.10 (Health Promotion and HP 2010)
HIV 17-2: Increase the proportion of sexually active unmarried <b>males</b> aged 15 to 44 years who use condoms	60.7%	US Baseline, 2006-2008 = 55.2 % USN, 2008 = <b>45.66%</b> USMC 2008 = <b>38.14%</b>	60.7%	DoDI 1010.10 (Health Promotion and HP 2010)
<b>STD Prevention</b>				
STD 2: Reduce the proportion of active duty <b>females</b> with <b>Chlamydia</b> tracomatis infections.	6.7%	U.S.-2009=592.2/100K; 2008 data = 7.4% USN-2010=1371 cases (2826.6/100K) USMC-2010=492 cases (4313.1/100K)	6.7% (6700/100K)	OPNAVINST 6120.3
STD 6-1: Reduce the incidence of <b>Gonorrhea</b> among active duty <b>females</b> aged 15-44	257 per 100K	US 2008=285 / 100K USN 2010 = 75 cases; <b>154.6</b> /100K USMC-2010 = 26 cases; <b>227.9</b> /100K	257 per 100K	supports BUMED Inst 6222.10
STD 6-1: Reduce the incidence of <b>Gonorrhea</b> among active duty <b>males</b> aged 15-44	198 per 100K	US 2008=220 / 100K USN 2010 = 248 cases; <b>86.9</b> /100K USMC-2010 = 152 cases; <b>88.8</b> /100K	198 per 100K	supports BUMED Inst 6222.10
STD 7-1: Eliminate sustained domestic transmission of primary and secondary <b>Syphilis</b> among active duty <b>females</b>	1.4 per 100K	U.S. 2009 = 1.4/100K USN 2010 = <b>4.1</b> /100K USMC 2010 = <b>0</b> /100K	1.4 per 100K	supports BUMED Inst 6222.10
STD 7-2: Eliminate sustained domestic transmission of primary and secondary <b>Syphilis</b> among active duty <b>males</b>	6.8 per 100K	U.S. 2009 = 7.8/100K USN 2010 = <b>31.2</b> /100K USMC 2010 = <b>14</b> /100K	6.8 per 100K	supports BUMED Inst 6222.10
STD 3-1: Increase the proportion of sexually active females aged <b>6 to 20</b> years who are screened for genital Chlamydia infections during the measurement year	57.9%	U.S. Baseline, 2008, Medicare = 52.7% Navy MTFs Jan 2010 (enrolled active duty patients aged 16-24) = <b>77%</b>	57.9%	DoDI 1010.10 (Health Promotion and HP 2010)
STD 3-2: Increase the proportion of sexually active females aged <b>21 to 24</b> years who are screened for genital Chlamydia infections during the measurement year	65.3%	U.S. Baseline, 2008, Medicare = 52.7% Navy MTFs Jan 2010 (enrolled active duty patients aged 16-24) = <b>77%</b>	65.3%	DoDI 1010.10 (Health Promotion and HP 2010)